

FRIEDMAN & BRUYA, INC.**ENVIRONMENTAL CHEMISTS**

Date of Report: August 2, 1993

Date Received: July 27, 1993

Project: 7238, Metro Self Monitor, PO #M30075

**RESULTS FROM THE ANALYSIS OF THE WATER SAMPLE
FOR CHROMIUM, COPPER, NICKEL AND ZINC
Samples Processed Using Method 3005
Results Reported as mg/L (ppm)**


Sample ID	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M30075	0.73	0.17	0.39	0.12

Quality Assurance



Blank	<0.01	<0.01	<0.02	<0.02
M30075 (Duplicate)	0.71	0.17	0.38	0.12
Spike Blank % Recovery	100%	98%	102%	103%
Spike Level	5	5	10	5

7. BTB.A
7.27.93
9:07am

Send Report To: ALASKAN COPPER WORKS Contact: Gerald Thompson
Company: P.O. Box 3546
Address: SEATTLE, WA. 98124
City, State, Zip: 206-623-8800
Phone # 7-27-93
Date:

SITE NO.	PROJECT NAME	PURCHASE ORDER #
7238	METRO SELF-MONITOR	M 30075
SAMPLERS (signature)	PROJECT LOCATION	
	3200 G th AVE. SOUTH	
REMARKS	SAMPLE DISPOSAL INFORM.	
	<input type="checkbox"/> Dispose after 30 days <input checked="" type="checkbox"/> Return Samples <input type="checkbox"/> Call for Instructions	

[illegible]

SIGNATURE	PRINT NAME	COMPANY	Date	Time
Relinquished by: 	Gerald Thompson	Alaskan Career Workers	7/2/93	9:09 AM
Received by: 	C. L. Hicks	FY B INC	7-27-93	9:07 AM
Relinquished by:				
Received by:				

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3008-B 16th Avenue West
Seattle, WA 98119
FAX: (206) 283-5044

DUPLICATE COPY

August 2, 1993

INVOICE # 93ACU0802-2

Alaskan Copper Works
628 South Hanford
Seattle, WA 98134

RE: Project 7238, Metro Self Monitor, PO #M30075: Results of testing requested
by Gerry Thompson, Project Leader and submitted on July 27, 1993.

1 water sample analyzed for Chromium, Copper,
Nickel and Zinc @ \$65 per sample

\$ 65.00

Amount Due

\$ 65.00

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3008-B 16th Avenue West
Seattle, WA 98119
FAX: (206) 283-5044

August 2, 1993


Gerry Thompson, Project Leader
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134

Dear Mr. Thompson:

Enclosed are the results from the testing of material submitted on July 27, 1993 from Project 7238, Metro Self Monitor, PO #M30075.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,



Bradley T. Benson
Chemist

BTB/dp

Enclosures